

INDEX MAPS.

T. 20N, R. 8 W. 2nd Mer.

	290	289	289	289	288	288						
292	6	316	5	309	4	305	3	301	2	296	1	288
	315	315	309	305	300	296						
291	7	314	8	309	9	304	10	300	11	295	12	288
	314	314	308	304	299	295						
291	18	313	17	308	16	303	15	299	14	295	13	287
	313	313	307	303	299	294						
291	19	312	20	307	21	303	22	298	23	294	24	287
	312	311	307	302	298	294						
291	30	311	29	306	28	302	27	297	26	293	25	287
	311	310	306	301	297	293						
290	31	310	32	305	33	301	34	297	35	292	36	286
	286	286	285	285	285	285						

Numbers 316

Meanders 316

T. 21N, R. 8 W. 2nd Mer.

Meanders 348, Reservation 352

	324	324	324	323	323	323						
326	6	348	5	344	4	342	3	340	2	339	1	322
	347	347	344	342	340	339	339	339	334			
326	7	347	8	344	9	342	10	340	11	330	12	322
	346	347	343	341	338	336	330	329				
326	18	346	17	343	16	341	15	338	14	329	13	321
	345	345	343	337	338	332	329					
325	19	345	20	343	21	337	22	331	23	328	24	321
	336	336	337	333	331	328						
325	30	336	29	335	28	333	27	331	26	327	25	321
	335	334	335	333	332	330	327					
325	31	334	32	334	33	332	34	330	35	327	36	321
	320	320	319	319	319	319						

Meanders 348, Reservation 332

The figures on the lines refer to the page.

319

Township N. 21 North, Range N. 8 West 2. Mer. Ind. 2.

Township Lines.

Ch. St. South Boundary. Var. 6° 50' E.
West on the S. Boundary of Sec. 36

35.00 passed Prairie

40.00 set gr. sec. post from which

a B. Oak 30 in. dia. bears S 89 E 51 Mer. dist. 8

a S. Oak 18 " " " S 26 E 29 " "

80.00 set post cor. of sec. 35 & 36 from which

a B. Oak 24 in. dia. bears S 44 E 20 Mer. dist. 8

a Maple 28 " " " N 32 W 36 " "

Land rich & good for farming. Prairie dry

West on the S. Boundary of Sec. 35

40.00 set gr. sec. post from which

a Poplar 12 in. dia. bears N 75 W 26 Mer. dist. 8

a S. Oak 9 " " " S 21 E 16 " "

80.00 set post cor. of sec. 34 & 35 from which

a Hickory 12 in. dia. bears N 20 E 21 Mer. dist. 8

a Do 12 " " " N 75 E 128 " "

(Description of land &c. omitted)

West on the S. Boundary of Sec. 34

October 29. 1819

40.00 set gr. sec. post from which

a S. Oak 9 in. dia. bears N 69 E 8 Mer. dist. 8

a Do 24 " " " S 21 E 28 " "

80.00 a Spring branch corner S., set post cor. of
sec. 33 & 34 from which

a B. Jack 9 in. dia. bears S 20 W 36 Mer. dist. 8

a S. Oak 9 " " " N 86 E 31 " "

Good farming land, very brushy, Oak,
Hickory &c.

West on the S. Boundary of Sec. 33

40.00 set gr. sec. post from which

a B. Oak 30 in. dia. bears S 78 E 63 Mer. dist. 8

T. 21 N., R. 8 W. 2. Mer. Ind.

Ch. Lk.

- a Hickory 10 in. dia. bears S 81° W 49 lbs. dist.
 65.00 a creek 50 lbs. wide course NW. high rocks
 on each side
 80.00 set post cn. of sec. 32 & 33 from which
 a W. Oak 27 in. dia. bears S 10° E 41 lbs. dist. 8
 a Do 18 " " " N 20° W 83 " "
 Oak & Hickory land, very brushy

West on the S. Boundary of Sec. 32

- 40.00 set gr. sec. post from which
 a W. Oak 18 in. dia. bears N 57° E 52 lbs. dist. 8
 a Hickory 12 " " " S 44° W 61 " "
 59.34 a Maple 30 " " stands on the left bank
 of Wabash River. Maple forked about
 15 feet from ground, a middle fork 30 feet
 from ground and is broke off.
 Compass changed from 6° 50' to 7° 10' E.
 71.53 set post on right bank of Wabash R. from wh.
 a B. Walnut 9 in. dia. bears S 61° W 8 lbs. dist. 8
 a W. Oak 10 " " " N 49° E 16 " "
 80.10 set post cn. of sec. 31 & 32 from which
 a Thorn 6 in. dia. bears East 46 lbs. dist. 8
 an Elm 48 " " " S 45° W 46 " "
 Overflowed bottom land, very rich.

West on the S. Boundary of Sec. 31

- 32.17 a Hackberry 24 in. dia.
 40.00 set gr. sec. post from which
 an Elm 9 in. dia. bears S 83° E 26 lbs. dist. 8
 a Sugar 30 " " " N 65° W 40 " "
 21.80 a Buckeye 5 in. dia.
 85.36 Intersect W. Boundary 254 W. S. of camp. post -
 set post at intersection cn. of T. 20 & 21 N. R. 8 &
 9 W. from which
 a Hickory 18 in. dia. bears S 72° E 171 lbs. dist. 8
 a W. Oak 12 " " " N 60° W 71 " "

T. 21 N., R. 8 W., S. 2. Mer. Ind.^a
 E. M. S. M.

(Description of land & omitted)

East Boundary, Var. 6° 45' E.
 North on the E. Boundary of Sec. 30

October 30. 1819

40.00 set of sec. post in Prairie & made a mound

65.00 passed Prairie

80.00 set post cor. of sec. 25 & 30 from which

a B. Oak 10 in. diameter N 77° E 89 1/2 m. dist. S

a S. Oak 30 " " " S 52° W 128 " "

Land T^h rate

North on the E. Boundary of Sec. 25

40.00 set of sec. post from which

a W. Oak 9 in. diameter N 11° W 23 1/2 m. dist. S

a Do 24 " " " N 66° E 27

65.00 a Spring branch 3 1/2 m. wide course N E

75.50 a creek 60 m. wide course W. rapid

80.00 set post cor. of sec. 24 & 25 from which

a W. Oak 14 in. diameter South 11 m. dist. S

a Do 14 " " " N 8° E 34 " "

Land 1/2 mile level, North 1/2 mile hilly
 timber Oak & Hickory.

North on the E. Boundary of Sec. 24

40.00 set of sec. post from which

a B. Oak 30 in. diameter East 45 m. dist. S

a Hackberry 30 " " " S 66° W 120 " "

67.50 a Spring branch 4 m. wide course W

68.00 a Brook 15 m. wide course W

80.00 set post cor. of sec. 13 & 24 from which

a B. Oak 18 in. diameter S 43° W 40 m. dist. S

a Do 30 " " " S 78° E 64 " "

Level 2^d rate Oak land

North on the E. Boundary of Sec. 13

T. 21 N., R. 8 W., S. 1. Mer. Ind. a

Ch. Lk.

40.00 set of sec. post from which

at W. Oak 14 in. dia. bears N 77° E 30 lbs. dist. 8

a Do 10 " " " S 66° W 10 " "

80.00 set post on cor. of sec. 13 & 12 from which

at B. Oak 30 in. dia. bears S 30° W 40 lbs. dist. 8

at W. Oak 24 " " " N 1° E 344 " "

North half mile ^{good} ~~thirty~~ timbered Oak-
land, South half mile rather poor.

North on the E. Boundary of Sec. 12

40.00 set of sec. post from which

at Sugar 18 in. dia. bears West 19 lbs. dist. 8

a Do 14 " " " N 63° E 18 " "

45.00 enter Prairie which overflows

80.00 set post on cor. of sec. 1 & 12 from which

an Oak 24 in. dia. bears S 2° E 870 lbs. dist. 8

a Cottonwood 36 " " " N 40° W 490 " "

Land rich & good for farming.

North on the E. Boundary of Sec. 1

6.21 set post on left bank of Wabash R. from which

at W. Oak - in. dia. bears S 61° W 22 lbs. dist. 8

a Sycamore 9 " " " N 33° E 90 " "

A stooping tree with 3 or 4 forks in the line
on the North side of the river. East from the
corner, thence N 5° W to the tree in the line
on the North (right) bank.

A Sycamore with Grape vines on it 38 lbs.

East of the corner on South side (left bank)

a black stump 20 feet high a little West
of the line on the South side in Prairie

20.41 set post on right bank of Wabash from which

at Buckeye 9 in. dia. bears N 6° E 7 lbs. dist. 8

a Do 10 " " " N 35° W 9 " "

40.00 set of sec. post from which

a Maple 9 in. dia. bears N 70° W 20 lbs. dist. 8

T22 N., R. 8 W. 2. Mer. Ind.^a
Ch. 8 W.

a Maple 24 in. dia. bears S 52 E 40 lbs. dist.
80.00 set temp. Township corner post.

Land of a good quality.

(All of this mile North of the Wabash River, is in Mary Chalilie's Reserve)

North Boundary. Var. 6° 45' E.

West on the S. Boundary of Sec. 36, T22 N., R8 W

22.91 a W. Oak 12 in. dia.

40.00 set gr. sec. post from which

a W. Oak 15 in. dia. bears South 64 lbs. dist. &

55.56 a Hickory 24 " " " N 63 W 56 " "

80.00 set post cor. of sec. 35 & 36 from which

a Poplar 24 in. dia. bears S 22 E 50 lbs. dist. &

a W. Oak 24 " " " N 6 W 72 " "

Middling level Oak land of a middling quality.

[Intersect N.W. Boundary of Mary Chalilie's Reserve, set post from which:

a W. Oak 14 in. dia. bears West 39 lbs. dist. &

a Hickory 13 " " " N 60 E 39 " "

The distance West to the cor. of sec. 1 & 2 is 20.50 Ch.]

West on the S. Boundary of Sec. 35, T22 N., R8 W

34.72 a W. Oak 24 in. dia.

40.00 set gr. sec. post from which

a W. Oak 24 in. dia. bears N 89 E 210 lbs. dist. &

a Do 27 " " " S 30 W 290 " "

73.63 a Hickory 10 " "

80.00 set post cor. of sec. 34 & 35 from which

a W. Oak 18 in. dia. bears N 44 W 15 lbs. dist. &

a Do 12 " " " N 63 E 15 " "

Oak land of a good quality, some Sycamore & Walnut.

West on the S. Boundary of Sec. 34, T22 N., R8 W

23.30 a W. Oak 30 in. dia.

40.00 set gr. sec. post from which

T. 21 N., R. 8 W. 2. Mer. Ind. a

Chp. 10.

a B. Oak 8 in. diam. bears N 30 E 8 lbs. dist. 8
 a S. Oak 27 " " " S 73 W 64 " "
 68.50 a Jack Oak 24 in. diam.
 80.00 set post cor. of sec. 33 & 34 from which
 a W. Oak 20 in. diam. bears N 17 E 12 lbs. dist. 8
 a S. 27 " " " S 30 E 12 " "
 Thinly timbered Oak land of a good quality.

West on the S. Boundary of Sec. 33, T. 22 N., R. 8 W
 40.00 set gr. sec. post from which
 a Hickory 10 in. diam. bears N 34 W 213 lbs. dist. 8
 a W. Oak 24 " " " N 9 E 315 " "
 80.00 set post cor. of sec. 32 & 33 from which
 a W. Oak 27 in. diam. bears S 31 W 76 lbs. dist. 8
 an Elm 30 " " " N 49 W 88 " "
 Thinly timbered Barren land of a middling
 quality, middling good for farming.

West on the S. Boundary of Sec. 32, T. 22 N., R. 8 W
 30.05 an Elm 8 in. diam.
 40.00 set gr. sec. post from which
 an Elm 12 in. diam. bears N 10 W 10 lbs. dist. 8
 a W. Oak 30 " " " S 13 W 112 " "
 64.36 a Hickory 9 " "
 80.00 set post cor. of sec. 31 & 32 from which
 a B. Walnut 27 in. diam. bears N 70 W 60 lbs. dist.
 a S. 30 " " " S 15 W 39 " "
 Good Oak land

West on the S. Boundary of Sec. 31, T. 22 N., R. 8 W
 23.34 a B. Walnut 24 in. diam.
 40.00 set gr. sec. post from which
 a Buckeye 11 in. diam. bears N 80 W 24 lbs. dist. 8
 a B. Walnut 15 " " " East 18 " "
 64.66 a Cherry 12 " "
 66.00 enter Prairie

T. 21 N., R. 8 W. 2^d Mer. Ind.^a
 Ch. 10th

81.10 Intersect W. Boundary 9th Sec. S. of temp. post —
 set post at intersection cor. of T. 21 & 22 N., R. 8 & 9
 W. from which
 a W. Oak 24 in. diam bears S 69 E 652¹/₂ lbs. dist. 8
 a B. Oak 30 " " " S 2 1/2 W 967 " "
 Land rich & good for farming

West Boundary. Var. 6th 35' E.

North on the E. Boundary of Sec. 36, T. 21 N., R. 9 W

40.00 set gr. sec. post from which

a W. Oak 11 in. diam bears N 51 E 91¹/₂ lbs. dist. 8

a S. 20 " " " N 44 W 163 " "

80.00 set post cor. of sec. 25 & 36 from which

a W. Oak 24 in. diam bears S 10 W 130¹/₂ lbs. dist. 8

a S. 20 " " " S 45 E 165 " "

Land level thinly timbered with Oak, good
 farming land

North on the E. Boundary of Sec. 25, T. 21 N., R. 9 W

31.88 a Brook 15¹/₂ lbs. wide runs E

31.80 a Cottonwood 20 in. diam.

40.00 set gr. sec. post from which

a B. Oak 12 in. diam bears N 37 W 20¹/₂ lbs. dist. 8

a Hickory 8 " " " S 66 W 38 " "

65.81 a W. Oak 24 " "

80.00 set post cor. of sec. 24 & 25 from which

a Sugar 27 in. diam bears S 73 E 9¹/₂ lbs. dist. 8

a Jack Oak 8 " " " N 27 W 25 " "

Land 2^d rate part broken, middling good
 farming land.

North on the E. Boundary of Sec. 24, T. 21 N., R. 9 W

40.00 set gr. sec. post from which

a Hickory 18 in. diam bears S 16 E 25¹/₂ lbs. dist. 8

a W. Ash 18 " " " S 79 E 38 " "

62.39 a W. Oak 30 " "

T. 21 N., R. 8 W. 2. Mer. Ind.^a
Chs. E. & W.

80.00 set part cor. of sec. 13 & 24 from which
a B. Oak 14 in. dia. bears N 14 W 10 lbs. dist. 8
a S. Oak 8 " " " S 52 E 44 " "
Good farming land, a little broken, timber
Oak, Hickory, Sugar, Ash & Elm.

North on the E. Boundary of Sec. 13, T. 21 N., R. 9 E.
20.20 a W. Oak 9 in. dia.

40.00 set q. sec. part from which
a W. Oak 12 in. dia. bears N 60 E 11 lbs. dist. 8
a Do 24 " " " S 64 W 31 " "

63.11 a Do 24 " "

80.00 set part cor. of sec. 12 & 13 from which
a B. Oak 30 in. dia. bears N 57 E 39 lbs. dist. 8
a Do 27 " " " N 68 W 41 " "
Land similar, very brushy, 2 rate, timber
Oak & Hickory.

North on the E. Boundary of Sec. 12, T. 21 N., R. 9 E.

19.00 a Brook 20 lbs. wide course W

21.95 a W. Oak 27 in. dia.

40.00 set q. sec. part from which
a W. Oak 30 in. dia. bears S 82 E 28 lbs. dist. 8
a Do 24 " " " N 62 W 18 " "

25.27 a Do 27 " "

72.50 a Brook 15 lbs. wide course E.

80.00 set part cor. of sec. 1 & 2 from which
an Elm 18 in. dia. bears S 34 W 13 lbs. dist. 8
a Do 20 " " " S 41 E 30 " "
Similar land to that on last mile

North on the E. Boundary of Sec. 1, T. 21 N., R. 9 W.
27.45 a W. Oak 18 in. dia.

40.00 set q. sec. part from which
a W. Walnut 10 in. dia. bears N 60 E 21 lbs. dist. 8
a Cherry 10 " " " S 73 W 63 " "

T. 21 N., R. 8 W. 2^d. Mer. Ind.^a.

Ch. Sec.

45.00 at Brook 15 M^s. wide course SW

60.00 same Brook " SE

80.00 set temp. Township corner post—

Land same as last described.

July 1820

William Harris

Deputy Surveyor.

Subdivision.

North between Sect. 35 & 36

12.90 at B. Oak 15 in. dia.

29.00 enter Prairie

40.00 set gr. sec. post from which (in Prairie)
at B. Oak 10 in. dia. bears N 35° — 193 M^s. dist.
(No other Bearing tree)

43.00 leave Prairie

55.50 enter Willow Swamp

60.00 leave " "

80.00 set post cor. of Sect. 25, 26, 35 & 36 from which
at W. Oak 15 in. dia. bears N 82° E 17 M^s. dist. S
a Dr 18 " " " N 22° W 50 " "
Land level 2^d rate, timber W & B. Oak,
Hickory, Upr. Hazel &c.

East on Random between Sect. 25 & 36

40.00 set temp. gr. sec. post

79.75 Intersect Co. Boundary 15 M^s. S. of post—
Land &c. as last described.

West Corrected between Sect. 25 & 36

39.87 set gr. sec. post at area. dist. from which
at W. Oak 8 in. dia. bears N 74° W 47 M^s. dist. S
a Hickory 8 " " " N 51° E 24 " "

79.75 to sec. cor.

North between Sect. 25 & 26

20.90 at W. Oak 18 in. dia.

T. 21 N., R. 8 W. 2. Mer. Ind. a

Ch. Cr.

40.00 set gr. sec. post from which

a Sugar 18 in. dia. bears S 70 W 49 lbs. dist. 8

a Do 18 " " " S 50 E 28 " "

47.93 a Sugar 24 " "

68.00 a Brook course NW.

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a W. Oak 18 in. dia. bears N 40 W 40 lbs. dist. 8

a Do 15 " " " S 32 E 47 " "

Land rolling 3^d rate, timber & Ugr. as before

East on Random between Sec. 25 & 24

4.50 a S. Branch course NW

40.00 set temp. gr. sec. post

65.00 a S. Branch course N.

77.50 a creek 50 lbs. wide course NW

79.85 Intersect E. Boundary 45 lbs. S. of post -

Land hilly 3^d rate, timber & Ugr. as before

West Corrected between Sec. 24 & 25

39.92 set gr. sec. post at aver. dist. from which

a W. Oak 15 in. dia. bears S 55 E 33 lbs. dist. 8

a Sugar 9 " " " N 2 E 25 " "

79.85 to sec. cor.

North between Sec. 23 & 24

12.00 a Spring branch course NW

20.10 a creek 55 lbs. wide course W

25.00 a W. Oak 15 in. dia.

40.00 set gr. sec. post from which

a W. Oak 28 in. dia. bears N 45 E 57 lbs. dist. 8

a Hickory 11 " " " S 77 W 20 " "

50.00 enter Barrens

72.50 leave "

72.80 a W. Oak 15 in. dia.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a W. Oak 28 in. dia. bears S 75 W 25 lbs. dist. 8

T. 21 N., R. 8 W. 2^d Mer. Ind^a

Ch. 201

at R. Oak 12 in. dia. bears N 32 E 92th Mer. dist.
 Land T. 1/2 mile rolling, last 1/2 mile level
 Gravel, timber White Oak, Hickory, B. Oak &
 W. Hazel

East on Random between Sec. 13 & 24

40.00 at temp. gr. sec. post

46.00 at Brook 5th Mer. wide course NW

52.25 at S. Branch course SW.

79.30 Intersect E. Boundary 17th Mer. S. of post—

Land level Gravel, timber NW B. Oak, Hickory &

West between Sec. 13 & 24 (Connected)

39.05 at gr. sec. post at aver. dist. from which

a Hickory 15 in. dia. bears S 89 E 65th Mer. dist.

La Do 14 " " " S 10 E 54 " "

79.30 to sec. cor.

North between Sec. 13 & 14

4.00 at Branch 8th Mer. wide course NW

20.90 at R. Oak 18 in. dia.

35.00 to River bottom

40.00 at gr. sec. post from which

an Elm 30 in. dia. bears S 82 E 27th Mer. dist. &

a Do 15 " " " N 33 W 24 " "

48.75 at Maple 40 " "

80.00 at post cor. of sec. 11, 12, 13 & 14 from which

a Bur Oak 48 in. dia. bears N 40 W 40th Mer. dist.

La Do 00 " " " S 40 E 4 " "

Land next bluff low—near the river

high rich—timber Walnut, Hackberry,

Mulberry, Locust, Elm, Maple, Bur Oak

& Ash

East on Random between Sec. 12 & 13

78.76 Intersect E. Boundary at post—

T. 21 N., R. 8 W., S. 2. Mer. Ind. a.
 Chas. G. H.

(Description of land &c. omitted)

West Cornered between Sec. 12 & 13

39.38 g. sec. port at aver. dnt (not established)

40.10 a B. Oak — in. dia.

78.76 to sec. cor.

North between Sec. 11 & 12

22.29 set post on left bank of Wabash R. from
 which a Hackberry 40 in. dia. bears S 78 E 17 W. dnt.

& an Elm 22 " " " S 22 W 61 " "

A Hackberry 8 in. dia. Corner tree.

(Description of land &c. omitted)

West between Sec. 11 & 14

11.82 a Locust stump stands on the left bank of
 Wabash River from which

a Walnut 30 in. dia. bears S 24 E 38 W. dnt. &

an Elm 24 " " " N 10 W 53 " "

North between Sec. 34 & 35

10.55 a Gum 15 in. dia.

40.00 set g. sec. port from which

a Buckeye 10 in. dia. bears S 4 W 4 W. dnt. &

a Do 8 " " " N 54 E 21 " "

45.40 a Hickory 14 " "

63.46 a W. Oak 48 " "

80.00 set port cor. of sec. 26, 27, 34 & 35 from which

a W. Oak 15 in. dia. bears N 49 E 27 W. dnt. &

an Ironwood 10 " " " N 74 W 33 " "

Land selling Irate, timber W & R. Oak, Hickory
 Poplar &c. Upr. Hazel, Sassafras &c.

East in Paddock between Sec. 26 & 35

40.00 set temp. g. sec. port

80.21 Intersect N & S. line 22 W. S. of port —

T. 21 N., R. 8 W. 2. Mer. Ind. 4.

Ch. 20.

Land level 2. rate, timber & Uly. as before.

West Corrected between Sec. 26 & 35

40.10 set gr. sec. post at aver. dist. from which
a Poplar 36 in. dia. bears N 60 W 48 W. dist. 8
a Hickory 12 " " " N 50 E 64 " "
80.21 to sec. cor.

North between Sec. 26 & 27

0.12 a Sugar 15 in. dia.
40.00 set gr. sec. post from which
a Poplar 36 in. dia. bears N 60 E 16 W. dist. 8
a Hickory 20 " " " S 78 W 13 " "
41.20 a R. Oak 36 " "
80.00 set post cor. of sec. 22, 23, 26 & 27 from which
a W. Oak 28 in. dia. bears N 65 W 28 W. dist. 8
a Hickory 20 " " " S 49 E 78 " "
Land rolling rich, timber W. R. Oak, Poplar,
Sugar & Uly. Hazel & Sapapass

East on Random between Sec. 23 & 26

40.00 set temp. gr. sec. post
44.00 a Branch 10 W. wide course N.
80.32 Intersect N & S line 14 W. N. of post -
Land level 3. rate, timber W. R. Oak, Hickory,
Uly. Hazel & Sapapass

West Corrected between Sec. 23 & 26

40.16 set gr. sec. post at aver. dist. from which
a Maple 15 in. dia. bears N 13 W 26 W. dist. 8
a Hickory 10 " " " S 61 W 80 " "
80.32 to sec. cor.

North between Sec. 22 & 23

13.00 a W. Oak 15 in. dia.
35.00 enter Wabash bottom

T. 21 N., R. 8 W. 2^d. Mer. Ind. &
Elev. Elev.

40.00 set of gr. sec. post from which
a Locust 26 in. dia. bears N10 W 22 lbs. dist.
a Hickory 7 " " " S 22 W 32 " 3
54.22 set post on left bank of Wabash R. from wh.
a Hackberry 15 in. dia. bears S15 E 33 lbs. dist. 8
a. Elm 18 " " " S 45 W 61 " 5
(Description of land &c. omitted)

West between Sec. 14 & 23

15.00 enter Wabash bottom
40.00 set of gr. sec. post from which
a Buckeye 18 in. dia. bears S15 E 35 lbs. dist. 8
a Do 20 " " " S 62 W 40 " 5
51.50 set post on left bank of Wabash River from which
a Buckeye 15 in. dia. bears S 67 E 33 lbs. dist. 8
a Sugar 10 " " " S 2 E 36 " 5
Land level & rich, timber Elm, Hickory, Hack-
berry, Oak. Upr. Hazel &c.

North between Sec. 33 & 34

10.80 a W. Oak 20 in. dia.
40.00 set of gr. sec. post from which
a W. Oak 24 in. dia. bears N 44 W 18 lbs. dist. 8
a Do 20 " " " S 42 E 18 " 5
63.80 a Do 36 " 5
80.00 set post cor. of sec. 27, 28, 33 & 34 from which
a W. Oak 24 in. dia. bears N 15 E 34 lbs. dist. 8
a R. Oak 6 " " " S 77 W 32 " 5
Land rolling 3^d rate, timber W & R. Oak, Hick-
ory. Upr. Hazel, W. Oak & Sap. asp.

East on Random between Sec. 27 & 34

37.00 a Brook 8 lbs. wide course NW.
40.00 set temp. gr. sec. post
79.45 Intersect Mo. S. line 16 lbs. S. of post—
Land hilly 2^d rate, timber Upr. as before

T. 21 N., R. 8 W. 2^d Mer. Ind. a
Ch. Lk.

West Corner between Sec. 27 & 34

39.72 set of sec. post at aver. dist. from which
a W. Oak 15 in. diam bears N 22 E 50 Yds. dist. S
a Poplar 6 " " " S 29 W 13 " "
79.45 to sec. cor.

North between Sec. 27 & 28

10.00 at Brook 6 Yds. wide course W.

30.96 a Lym 18 in. dia.

40.00 set of sec. post from which

a Cherry 12 in. diam bears N 10 W 29 Yds. dist. S
an Ironwood 8 " " " N 88 E 39 " "

65.50 set post on left bank of Wabash River from which
a Hackberry 18 in. diam bears S 52 E 69 1/2 Yds. dist. S
a Buckeye 18 " " " S 30 E 65 " "
(Description of land &c. omitted)

West between Sec. 22 & 27

15.55 a W. Oak 24 in. dia.

40.00 set of sec. post from which

a W. Oak 30 in. diam bears N 84 W 24 Yds. dist. S
a Hickory 15 " " " S 57 E 41 " "

50.90 a do 24 " " and enter Bottom and back
water

65.15 set post on left bank of Wabash River from which
a Lycamore 48 in. diam bears N 22 E 25 1/2 Yds. dist. S
a Locust 24 " " " N 53 E 41 1/2 " "
Land level 2 rods, timber W & B. Oak, Hickory.
Upr. Hazel

West between Sec. 28 & 33

0.55 a W. Oak 15 in. dia.

8.00 at Branch 3 Yds. wide course N.

32.50 a Spring branch 2 Yds. wide course N.

40.00 set of sec. post from which

a W. Oak 20 in. diam bears N 52 W 28 Yds. dist. S

T. 21 N., R. 8 W. 2^d Mer. Ind. a

Ehr. Ehr.

at W. Oak 16 in. dia. bears S 68 E 44 Vrs. dist.
 40.00 set post on left bank of Wabash River from which
 a Hickory 9 in. dia. bears N 78 E 9 Vrs. dist. 8
 a Coffinut 8 " " " S 12 E 8 " "
 Land rolling 3^d rate, timber W. & P. Oak, Hick-
 ory, Upr. Hazel, W. Oak &c.

North between Sec. 32 & 33

0.37 at P. Oak 14 in. dia.
 22.00 a creek 40 Vrs. wide course W.
 40.00 set g. sec. post from which
 at W. Oak 15 in. dia. bears S 37 W 20 Vrs. dist. 8
 a Hickory 20 " " " S 74 E 28 " "
 40.00 Wabash bottom
 47.75 set post on left bank of Wabash River from which
 at Walnut 18 in. dia. bears S 34 E 49 Vrs. dist. 8
 a Do 7 " " " S 33 W 20 " "
 Land rolling 3^d rate, timber W. & P. Oak.
 Upr. Hazel

West between Sec. 11 & 12

7.25 set post on left bank of Wabash River from which
 at W. Oak 18 in. dia. bears N 68 E 16 Vrs. dist. 8
 a Do 15 " " " S 66 W 18 " "

North between Sec. 31 & 32

40.00 set g. sec. post from which
 at W. Oak 48 in. dia. bears S 38 E 5 Vrs. dist. 8
 a Do 36 " " " N 22 W 8 " "
 80.00 set post cor. of sec. 29, 30, 31 & 32 from which
 at W. Oak 18 in. dia. bears S 50 E 10 Vrs. dist. 8
 a Do 15 " " " N 30 W 15 " "
 Land level 2^d rate, timber Elm & Oak.
 Upr. Hazel

East between Sec. 29 & 32

T. 21 N., R. 8 W. 2^d Mer. Ind.^a

Chas. Sh.

40.00 set gr. sec. post from which

a Sugar 20 in. dia bears N 30 W 48 lbs. dist. 8

a Hickory 18 " " " S 50 E 44 " "

80.00 set post cor. of sec. 28 & 29, 32 & 33 from which

a Blackberry 20 in. dia bears S 49 W 57 lbs. dist. 8

a Do 10 " " " N 4 W 54 " "

Land &c as before described.

South between Sec. 32 & 33

17.50 set post on right bank of Wabash River from which

a Pecanore 20 in. dia bears S 47 W 5 lbs. dist. 8

a Do 30 " " " East 8 " "

East between Sec. 28 & 33

8.50 to backwater from Wabash River.

North between Sec. 28 & 29

30.00 enter Barrens

40.00 set gr. sec. post from which

a W. Oak 15 in. dia bears N 50 E 233 lbs. dist.

(No other bearing tree)

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a W. Oak 18 in. dia bears N 44 W 123 lbs. dist. 8

a Do 18 " " " S 35 E 214 " "

Land level 3^d rate, timber &c as before

West between Sec. 30 & 31

40.00 set gr. sec. post from which

a W. Oak 20 in. dia bears N 17 W 177 lbs. dist. 8

(No other bearing tree)

59.00 a Branch 6 lbs. wide corner S E, and an Elm
8 in. dia.

86.50 Intersect W. Boundary 38 lbs. S. of post —

set post at intersection cor. of sec. 30 & 31 from which

a W. Oak 28 in. dia bears S 55 E 141 lbs. dist. 8

a Do 20 " " " N 4 W 94 " "

T. 21 N., R. 8 W. E. Mer. Ind.^a
Ch. Cr.

Sand rolling State, timber Oak &c

North between Sec. 29 & 30

40.00 cut of sec. part from which

a W. Oak 20 in. diameter N 40° W 121 Ws. dist. 2

a Do 18 " " " N 42° E 80 " "

48.38 a Do 15 " "

80.00 cut part cor. of sec. 19, 20, 29 & 30 from which

a W. Oak 33 in. diameter N 15° E 32 Ws. dist. 2

a Do 30 " " " S 31° W 58 " "

Sand level State, timber W & B. Oak
Upr. Hazel

West between Sec. 19 & 30

6.88 a Span. Oak 15 in. dia.

40.00 cut of sec. part from which

a W. Oak 38 in. diameter N 33° E 78 Ws. dist. 2

a Do 30 " " " N 83° W 38 " "

47.00 a Do 20 " "

85.75 Intersect W. Boundary 73 Ws. S. of part

cut part at intersection cor. of sec. 19 & 30 from which

a Hickory 10 in. diameter S 68° W 10 Ws. dist. 2

a Sugar 32 " " " N 9° E 71 " "

Sand hilly State, timber Oak & Hickory
Upr. Hazel

East on Random between Sec. 20 & 29

40.00 cut temp. of sec. part

47.50 a creek 20 Ws. wide course S.

50.00 enter Swamp

60.00 leave "

80.11 Intersect N. S. line 59 Ws. N. of part

Sand rolling State, timber Oak

Upr. Hazel June 2, 1823

West Corrected between Sec. 20 & 29

Comp.

T. 21 N., R. 8 W., 2^d. Mer. Ind^a.

Ch. Ch.

40.05 set of sec. post at aver. dist. from which
a W. Oak 36 in. dia. bears N 44 W 6 Mts. dist.
(No other Bearing tree)

80.11 to sec. cor.

East on Random between Sec. 21 & 28

40.00 set of sec. post from which
a W. Oak 28 in. dia. bears S 30 W 65 Mts. dist. &
a Spr 15 " " East 53 " "

00.00 enter Wabash bottoms

74.50 set post on right bank of Wabash River, oppo-
site an Island, from which
a Hackberry 10 in. dia. bears N 17 W 30 Mts. dist. &
a Thorn 8 " " S 62 W 11 " "
Land rolling E. rate, timber Oak, Hickory,
Hackberry & Upr. Hazel

North between Sec. 21 & 22

5.50 set post on right bank of Wabash R. from which
a Hackberry 30 in. dia. bears N 61 E 12 Mts. dist. &
a Spr 24 " " S 11 E 20 " "

31.15 a Sugar 15 " "

40.00 set of sec. post from which
a W. Oak 15 in. dia. bears S 50 W 127 Mts. dist. &
a Sugar — " " N 42 E 118 " "

63.37 a W. Oak 15 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which
a W. Oak 20 in. dia. bears S 33 W 50 Mts. dist. &
a Walnut 16 " " N 51 E 19 " "
Land level E. rate, timber W. Oak, Hickory,
Walnut. Upr. Hazel &c.

East on Random between Sec. 15 & 22

38.65 a S Branch corner S E

40.00 set of sec. post from which
a W. Oak 18 in. dia. bears S 44 W 76 Mts. dist. &

T21 N., R. 8 W. 2^o Mer. Ind^a.

Chs. Sp.

a W. Oak 10 in. dia bears N64 E 27 Ws. dint,
 00.00 a Brook 5 Ws. wide course S.
 75.00 enter River bottom
 80.00 set post cor. of sec. 14, 15, 22 & 23 from which
 a W. Oak 18 in. dia bears N51 E 13 Ws. dint &
 a Do 10 " " " S44 W 20 " "
 Land rolling 3^o rate, timber v. as before

South between Sec. 22 & 23

3.35 a Hackberry 15 in. dia.
 13.50 set post on right bank of Wabash River from which
 a Mulberry 28 in. dia bears N82 E 61 Ws. dint. &
 a Hackberry 7 " " " N34 W 83 " "
 Land level & rich, timber Hackberry, Walnut
 Upr. Spruce, S. Ash

East between Sec. 14 & 23

13.50 set post on right bank of Wabash River from which
 a Hackberry - in dishman S22 W 24 Ws. dint &
 a Do 10 " " " N29 W 29 " "
 Land level & rich, timber Hackberry, Walnut

North between Sec. 14 & 15

15.00 leave Bottom
 22.05 a Hickory 20 in. dia.
 40.00 set gr. sec. post from which
 a Hickory 15 in. dia bears N38 W 33 Ws. dint &
 a Do 12 " " " S32 E 20 " "
 47.40 a W. Oak 30 " "
 80.00 set post cor. of sec. 10, 11, 14 & 15 from which
 a W. Oak 18 in. dia bears S52 E 23 Ws. dint &
 a Do 12 " " " N15 W 33 " "
 Land rolling 3^o rate, timber Oak & Hickory

East between Sec. 11 & 14

40.00 set gr. sec. post from which

T. 21 N., R. 8 W. 2^d Mer. Ind.^aCh. 1st

a Hickory 8 in. dia. bears S 45° W 21 lbs. dist. 8

a B. Oak 6 " " " N 17° E 8 " "

55.75 set post on right bank of Wabash River from which

a Redbud 10 in. dia. bears S 31° W 21 lbs. dist. 8

a Sh 8 " " " N 15° W 20 " "

Land & timber as before described.

North between Sec. 11 & 12

set post on right bank of Wabash River from which

a Cottonwood 30 in. dia. bears S 20° W 47 lbs. dist. 8

a Sycamore 12 " " " N 50° E 138 " "

21.00 a Brook 15 lbs. wide course E

21.00 an Elm 20 in. dia.

34.50 set post cor. of sec. 1, 2, 11 & 12 from which

an Ash 18 in. dia. bears S 78° E 10 lbs. dist. 8

a Sh 15 " " " S 16° W 12 " "

Land level 2^d rate, timber Hickory, Oak, Ash,
Elm &c.

East between Sec. 1 & 2

40.00 set gr. sec. post from which

a Hackberry 15 in. dia. bears S 77° W 54 lbs. dist. 8

a Sh 12 " " " N 27° E 32 " "

44.00 set post on right bank of Wabash R. from which

a Hackberry 24 in. dia. bears N 74° E 48 lbs. dist. 8

a Sh 20 " " " S 42° W 20 " "

Land &c. as before described.

North between Sec. 1 & 2

18.00 a Sugar 24 in. dia.

35.00 a S. Branch 3 lbs. wide course SE

40.00 set gr. sec. post from which

a W. Oak 24 in. dia. bears S 9° W 44 lbs. dist. 8

a Sh 20 " " " S 87° W 16 " "

54.75 a B. Oak 15 " "

64.50 a Brook 8 lbs. wide course E.

T. 21 N., R. 8 W. 2. Mer. Ind.

Chs. Lk.

82.12 Intersect N. Boundary 394 Yds. E. of port —
 sit port at intersection cor. of sec. 1 & 2 from which
 a W. Oak 24 in. diameter S 79° W 38 Yds. distant
 a Spr 10 " " " N 25° E 36 " "
 Land rolling 3^d rate, timber W & R. Oak, Elm,
 Upr. Hazel, Sapapara. June 3, 1823

North betw Sec. 10 & 11

9.40 a W. Oak 15 in. dia.

15.00 enter Barrens

40.00 sit q. sec. port in Barrens from which
 a W. Oak 15 in. diameter N 40° W 104 Yds. distant.
 (No other Bearing tree)

60.50 a Brook 12 Yds. wide course E.

74.25 a B. Oak 15 in. dia. & leave Barrens

80.00 sit port cor. of sec. 2, 3, 10 & 11 from which
 a W. Oak 24 in. diameter N 73° E 20 Yds. distant &
 a Spr 18 " " " N 37° W 49 " "
 Land level 2^d rate, timber W & B. Oak, Hick-
 ory & Upr. Hazel &c

East on Random between Sec. 2 & 11

25.00 Cascade 5 Chs. South

40.00 sit temp. q. sec. port

79.50 Intersect N.E. line 30 Yds. N. of port —
 Land rolling 3^d rate, timber &c. as before.

West Connected between Sec. 2 & 11

39.75 sit q. sec. port at aver. dist. from which
 a R. Oak 24 in. diameter N 63° W 20 Yds. distant &
 a Spr 18 " " " N 7° E 64 " "

79.50 to sec. cor.

North between Sec. 2 & 3

9.20 a W. Oak 15 in. dia.

20.00 enter Barrens

T. 21 N., R. 8 W. 2. Mer. Ind.

Ch. 2. 20.

40.00 set q. sec. post from which
 a W. Oak 20 in. dia. bears North 70 1/2 W. 44 lbs. dist. 8
 a Spr 30 " " " N 12 1/2 W 43 1/2 " "

44.50 leave Barrens

50.90 a W. Oak 20 in. dia.

81.00 Intersect N. Boundary 462 lbs. E. of post -
 set post at intersection cor. of sec. 2 & 3 from which
 a Hickory 18 in. dia. bears N 85 1/2 W 30 lbs. dist. 8
 a Spr 15 " " " S 54 E 44 " "
 Land &c. as before described.

North between Sec. 15 & 16

23.90 a B. Walnut 18 in. dia.

40.00 set q. sec. post from which
 a Sugar 12 in. dia. bears N 70 1/2 W 12 lbs. dist. 8
 a Hickory 10 " " " N 73 E 7 " "

51.90 a Sugar 14 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
 a Hickory 20 in. dia. bears N 11 1/2 W 53 lbs. dist. 8
 an Elm 12 " " " S 54 E 28 " "
 Land level 2.1 at, timber W. Oak, Sugar,
 Hickory, Walnut &c. Upr. Hazel

East on Random between Sec. 10 & 15

30.00 enter Barrens

40.00 set temp. q. sec. post

65.00 leave Barrens

80.33 Intersect N. & S. line 19 lbs. N. of post -
 Land & timber as before described.

West Connected between Sec. 10 & 15

40.10 set q. sec. post at aver. dist. from which
 a W. Oak 24 in. dia. bears S 28 1/2 W 24 1/2 lbs. dist. 8
 a Spr 20 " " " N 80 E 220 " "

80.33 to sec. cor.

T. 21 N., R. 8 W. 2. Mer. Ind.^a

Ch. Sp.

North between Sec. 9 & 10

15.50 a Spruce 20 in. dia.

22.50 a Brook 6 Mts. wide course E.

40.00 set g. sec. post from which

a W. Oak 10 in. dia. bears N 87 E 37 Mts. dist. 8

a Hickory 8 " " " S 82 W 13 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Hickory 18 in. dia. bears S 65 W 40 Mts. dist. 8

a Spr 13 " " " S 86 E 11 " "

Land &c. as before described.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

49.50 a Brook 4 Mts. wide course SE

03.50 a Spr 6 " " " S

80.63 Intersect N. S. line 26 Mts. N. of post—

Land rolling 3. rate, timber W. & B. Oak,
Hickory &c. Upr. Hazel, Hickory &c.

West Corrected between Sec. 3 & 10

40.31 set g. sec. post at aver. dist. from which

a R. Oak 3 in. dia. bears S 86 W 33 Mts. dist. 8

a W. Oak 18 " " " S 15 E 5 " "

80.63 to sec. cor.

North between Sec. 3 & 4

3.10 a R. Oak 30 in. dia.

40.00 set g. sec. post from which

a Hickory 18 in. dia. bears S 73 E 60 Mts. dist. 8

a Spr 15 " " " S 81 W 15 " "

54.90 a R. Oak 28 " "

80.90 Intersect N. Boundary 412 Mts. E. of post—

set post cor. of sec. 3 & 4 at intersection from wh.

a R. Oak 3 in. dia. bears N 16 E 30 Mts. dist. 8

a W. Oak 15 " " " S 30 E 50 " "

Land &c. as before June 4, 1823

T. 21 N., R. 8 W. 2. Mer. Ind.?

Chs. Chs.

North between Sec. 20 & 21

20.26 a W. Oak 18 in. dia.

40.00 cut gr. sec. part from which

a W. Oak 33 in. dia. bears S 85° W 14 lbs. dist. 3

a Cottonwood 15 " " " N 70° E 14 " "

62.00 a W. Oak 18 " "

80.00 cut part cor. of sec. 16, 17, 20 & 21 from which

a Hickory 8 in. dia. bears S 68° W 64 lbs. dist.

La Dr 6 " " " N 60° E 25 " "

Land level 2. rate, timber W. Oak, Hickory, Upr. Hazel &c.

East on Random between Sec. 16 & 21

40.00 cut temp. gr. sec. part

80.08 Intersect N & S. line 80 lbs. E. of post-

Land &c. as before described.

West corrected between Sec. 16 & 21

40.04 cut gr. sec. part at aver. dist. from which

a W. Oak 42 in. dia. bears N 88° W 154 lbs. dist. 4

a Sugar 20 " " " S 63° E 94 " "

80.08 to sec. cor.

North between Sec. 16 & 17

5.60 a Sugar 18 in. dia.

40.00 cut gr. sec. part from which

a W. Oak 28 in. dia. bears N 49° E 87 lbs. dist. 3

a Dr 20 " " " N 51° W 22 " "

42.55 a Dr 28 " "

80.00 cut part cor. of sec. 8, 9, 16 & 17 from which

a Poplar 20 in. dia. bears S 17° E 45 lbs. dist. 3

a Sugar 18 " " " N 52° W 62 " "

Land rolling 2. rate, timber W. Oak, Hickory, Sugar, Poplar &c. Upr. W. Oak, Hickory &c.

East on Random between Sec. 9 & 16

T. 21 N., R. 8 W. 2.^d Mer. Ind.^a

Elev. Sp.

40.00 set temp. of sec. part

79.80 Intersect N & S. line 87 Wks. S. of port -
Land &c. as before described.

West Corrected between Sec. 9 & 10

39.90 set of sec. part at aver. dist. from which
an Ironwood 12 in. dia bears S 70 W 25 Wks. dist.
Land Ash 8 " " " N 24 E 32 " "
79.80 to sec. cor.

North between Sec. 8 & 9

4.10 a R. Oak 24 in. dia.

40.00 set of sec. part from which
a R. Oak 24 in. dia bears N 4 E 26 Wks. dist. &
a Sh 8 " " " S 8 W 27 " "80.00 set part cor. of sec. 4, 5, 8 & 9 from which
a R. Oak 3 in. dia bears N 31 E 52 Wks. dist. &
a Hickory 16 " " " S 50 W 88 " "
Land rolling 2^d rate, timber W. Oak,
Hickory, Sugar &c. Elms. Hazel, Hickory &c.

East on Random between Sec. 4 & 9

40.00 set temp. of sec. part

79.72 Intersect N & S. line 76 Wks. S. of port -
Land &c. as before described.

West Corrected between Sec. 4 & 9

39.80 set of sec. part at aver. dist. from which
a W. Oak 18 in. dia bears S 31 E 32 Wks. dist. &
a Hickory 15 " " " S 68 W 22 " "

79.72 to sec. cor.

North between Sec. 4 & 5

4.12 a Hickory 18 in. dia.

40.00 set of sec. part from which
a R. Oak 30 in. dia bears N 29 - 45 Wks. dist. &

T. 21 N., R. 8 W. 2^d Mer. Ind^a

Ch. Pl.

a R. Oak 20 in. diam bears S 38 W 54 lbs. dist.
 60.00 a Hickory 20 " "
 81.59 Intersect N. Boundary 417 lbs. E. of point -
 set point at intersection cor. of sec. 4 & 5 from which
 a R. Oak 30 in. diam bears N 49 E 10 lbs. dist. &
 a Do 6 " " " S 59 W 23 " "
 Land level 3^d rate, timber W. Oak, Hickory &
 Upr. Hazel

North between Sec. 19 & 20

10.29 a Poplar 30 in. diam.
 40.00 set q. sec. point from which
 a R. Oak 6 in. diam bears S 4 E 45 lbs. dist. &
 a W. Oak 20 " " " North 85 " "
 47.50 a Brook 20 lbs. wide course S E
 80.00 set point cor. of sec. 17, 18, 19 & 20 from which
 a W. Oak 35 in. diam bears S 19 E 27 lbs. dist. &
 a Hickory 12 " " " N 22 W 33 " "
 Land willing 3^d rate, timber W & R. Oak,
 Poplar, Hickory. Upr. Hazel

East on Random between Sec. 17 & 20

40.00 set temp. q. sec. point
 59.50 a Brook 10 lbs. wide course S.
 79.74 Intersect N. & S. line 20 lbs. N. of point -
 Land &c. as before described. June 5. 1823

West Corrected between Sec. 17 & 20

39.87 set q. sec. point at aver. dist. from which
 a Sugar 20 in. diam bears S 80 E 73 lbs. dist. &
 a W. Oak 10 " " " N 72 W 66 " "
 79.74 to sec. cor.

West between Sec. 18 & 19

2.70 a W. Oak 24 in. diam.
 20.00 a Stream 25 lbs. wide course S.

T. 21 N., R. 8 W., T. 2 Mer. Ind.

Chs. Lk.

- 40.00 cut gr. sec. part from which
an Ash 12 in. dia leans N16 E 21 lbs. dirt, 8
a Hickory 37 1/2 " " S40 E 33 " "
- 65.25 a Sugar 20 " "
- 86.88 Intusect W. Boundary 67 lbs. S. of part -
set part at intersection cor. of sec. 18 & 19
from which
a Hickory 20 in. dia leans S87 E 39 lbs. dirt,
a R. Oak 12 " " " N70 W 29 " "
Land &c. as before described.

North between Sec. 17 & 18

- 32.45 a Sugar 15 in. dia.
- 32.80 at Brook 6 lbs. wide course SW
- 40.00 cut gr. sec. part from which
a R. Oak 10 in. dia leans S74 W 3 lbs. dirt, 8
a W. Oak 9 " " " S23 E 35 " "
- 71.04 a Ls 24 " "
- 80.00 cut part cor. of sec. 7, 8, 17 & 18 from which
a W. Oak 33 in. dia leans N73 W 40 lbs. dirt, 8
a R. Oak 28 " " " S7 E 23 " "
Land &c. as before described.

West between Sec. 7 & 18

- 20.75 a W. Oak 28 in. dia.
- 40.00 cut gr. sec. part from which
a W. Oak 15 in. dia leans N89 E 40 lbs. dirt, 8
a Ls 14 " " " S86 W 42 " "
- 45.70 a Ls 20 " "
- 57.50 at Brook 20 lbs. wide course S.
- 86.32 Intusect W. Boundary 84 lbs. S. of part -
set part at intersection cor. of sec. 7 & 18 from
which a Hickory 30 in. dia leans S41 W 18 lbs. dirt,
a Ls 36 " " " East 5 " "
Land rolling 3rd rate, timber W & R. Oaks
Hickory & Upr. Hazel &c.

T. 21 N., R. 8 W. 2. Mer. Ind.^a

Chas. Sp.

East on Random between Sec. 8 & 17

40.00 set temp. gr. sec. post

50.30 at Brook 4 Ws. wide corner S.

80.14 Intersect N & S. line 32 Ws. N. of post -
Land &c. as last described.

West Corrected between Sec. 8 & 17

40.07 set gr. sec. post at aver. dist. from which

a W. Oak 30 in. diam bears N 50 E 67 Ws. dist. S

a Do 30 " " " S 40 W 26 " "

80.14 to sec. cor.

North between Sec. 7 & 8

13.05 a Sugar 16 in. diam.

40.00 set gr. sec. post from which

a W. Oak 20 in. diam bears N 78 W 32 Ws. dist. S

a R. Oak 20 " " " N 63 E 45 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a W. Oak 22 in. diam bears S 70 W 32 Ws. dist.

a Hickory 16 " " " N 28 W 17 " "

Land withing 2^d rate, timber &c. as before

East on Random between Sec. 5 & 8

40.00 set temp. gr. sec. post

80.04 Intersect N & S. line 16 Ws. S. of post -

Land level 2^d rate, timber W & R. Oak, Hick-
ory. Upr. Hazel &c.

West Corrected between Sec. 5 & 8

40.02 set gr. sec. post at aver. dist. from which

a Sugar 24 in. diam bears S 76 E 29 Ws. dist. S

an Elm 12 " " " S 36 W 18 " "

80.04 to sec. cor.

West between Sec. 6 & 7

7.38 a W. Oak 33 in. diam.

T. 21 N., R. 8 W. 2^d. Mer. Ind.

Ch. Sk.

40.00 cut of sec. part from which
 a Hickory 8 in. diameter S 37 E 21 lbs. dirt &
 an Elm 5 " " " N 37 W 13 " "
 85.45 Intersect N. Boundary 5 lbs. N. of port -
 set part cor. of sec. 6 at intersection from which
 an Elm 20 in. diameter S 30 W 16 lbs. dirt &
 a Do 12 " " " N 22 E 43 " "
 Land &c. as before described.

North between Sec. 5 & 6

40.00 cut of sec. part from which
 an Ash 12 in. diameter S 42 E 42 lbs. dirt &
 a Hickory 6 " " " N 84 W 15 " "
 50.10 a W. Oak 30 " "
 81.04 Intersect N. Boundary 470 lbs. E. of port -
 set part at intersection cor. of sec. 5 & 6 from
 which an Elm 15 in. diameter S 27 E 16 lbs. dirt &
 a Sapapap 6 " " " N 84 W 20 " "
 Land &c. as before described.
 June 6. 1823

Meanders of Wabash River. Left bank
 up stream. Beginning at port in South
 Boundary, thence:

Courses	Ch. Sk.	Remarks.
N 33 E	5.00	In Sec. 32
N 36 E	8.00	
N 42 E	14.00	
N 63 E	10.50	
N 52 E	17.00	
N 57 E	17.00	at 7.00 Ch. a Creek 50 lbs. wide runs NW
N 48 E	3.00	
N 39 E	1.24	to port in line between Sec. 32 & 33
N 39 E	3.76	In Sec. 33

T. 21 N., R. 8 W. 2. Mer. Ind.^a

Observations.

Remarks.

N40E 43.00 at 0.25 Ch. a S. Branch 5 Mts. wide course
N45W — to port in line betw. Sec. 28 & 33

N53E 10.50 In Sec. 28

N16E 10.00

N87W 3.50

N19E 6.50

N26E 7.00

N34E 13.00

N33E 13.00

N53E 14.00

N47E 6.22 to port in line between Sec. 27 & 28
May 30. 1823

N48E 8.00 In Sec. 27

N42E 13.20 to port in line between Sec. 22 & 27

N42E 14.80 In Sec. 22

N22E 4.50

N39E 8.50

N23E 7.00

N55E 12.50

N60E 28.50

N86E 5.50

N46E 4.30 to port in line between Sec. 22 & 23

N46E 0.20 In Sec. 23

N71E 4.00

East 7.50 at 3.80 Ch. a creek 60 Mts wide course N.

N46E 5.00

N32E 10.00

N38E 11.00

N27E 2.50

N33E 2.79 to port in line between Sec. 14 & 23

N33E 22.21 In Sec. 14 — at 12.89 Ch. a creek 25 Mts.
wide NW.

T. 21 N., R. 8 W. 2.^d Mer. Ind.^h

Course Ch. Ch.

Remarks.

N22E 17.50

N27E 8.50

N33E 12.00

N22E 12.50

N17E 9.00

N29E 14.00

N22E 10.50

N32E 10.50

N34E 21.50

N47E 6.50

N52E 18.00

N67E 27.00

N55E 3.50 to port in line between Sec. 1 & 12

 N55E 8.40 In Sec. 1 — to port in E. Boundary.
May 31. 1823

 Right bank upstream. Beginning at
port in S. Boundary, thence:

N33E 20.00 In Sec. 32

N40E 8.00

N52E 4.00

N42E 6.50

N53E 32.50

N65E 10.50

 N57E 15.00 at 8.50 Ch. a creek 30 Ch. wide course S.
to port in line between Sec. 32 & 33

N46E 12.50 In Sec. 33

N53E 9.00

 N43E 7.50 (At about 5.00 Ch. supposed to intersect
line between Sec. 28 & 33)

N30E 4.50

N10E 5.00

N25E 4.00

N10E 6.00

N21E 8.50

T. 21 N., R. 8 W. 2^d Mer. Ind.^a

Courses Chrs. Lvs.

Remarks.

N13E	10.00	
N32E	7.50	lower point of Island
N23E	6.50	
N32E	6.50	
N40E	3.00	
N41E	13.00	
N48E	23.50	
N66E	8.80	to port in line between Secs. 21 & 22
N35E	14.00	In Sec. 22 — upper point of Island
N46E	8.50	
N31E	15.50	
N43E	10.00	
N55E	13.50	
N66E	38.00	at 10 Chrs. an Island, at 21 Chrs. leave Do
N82E	5.22	to port in line between Secs. 22 & 23
N65E	3.00	In Sec. 23
N45E	12.50	
N38E	4.00	to port in line between Secs. 14 & 23
N38E	1.50	In Sec. 14
N32E	22.50	
N28E	20.50	
N20E	8.00	
N30E	6.50	
N23E	8.50	
N38E	4.00	
N28E	5.50	
N23E	13.25	to port in line between Secs. 11 & 14
N23E	11.75	In Sec. 11
N28E	12.00	
N32E	5.00	
N27E	18.50	
N42E	4.40	to port in line between Secs. 11 & 12

T. 21 N., R. 8 W. 2. Mer. Ind. a.

Courses	Ch. Ch.	Remarks.
N 37 E	15.00	In Sec. 12 - a Stream 6 W. wide corner S.
N 46 E	10.00	
N 59 E	15.00	
N 62 E	10.50	
N 69 E	6.50	to post in line between Sec. 1 & 12

N 69 E	13.50	In Sec. 1
N 57 E	5.00	
N 45 E	5.00	
N 52 E	11.00	
N 44 E	4.50	to post in E. Boundary.

Basil Bently
Deputy Surveyor.

Reservation for Mary Chalili.

Beginning at post in E. Boundary on the right bank of the Wabash River, thence down stream said bank

95 $\frac{1}{4}$ W 26.10 Intersect line between Sec. 1 & 12

The same corner is the lower corner of the Reserve, from which

a Hackberry 20 in. dia. bears S 43 W 20 W. dist.

a Do 30 " " " N 74 E 36 " "

Thence N 41 W

31.90 a Buckeye 12 in. dia.

60.40 a W. Oak 12 " "

67.35 Intersect line between Sec. 1 & 2, set post from which a W. Oak 30 in. dia. bears S 10 E 22 W. dist.

a Do 36 " " " N 61 W 24 " "

The distance South to the of sec. post is 10.60

77.82 set post the West corner of the Reserve from which an Ironwood 8 in. dia. bears S 41 E 23 W. dist.

a W. Ash 8 " " " N 44 W 23 " "

Thence N 49 E

9.50 Intersect the line between Sec. 1 & 2, set post in the channel of a stream 6 W. wide corner N E

T. 21 N., R. 8 W. 2. Mer. Ind.^a

Ch. Ch.

from which

a Sugar 12 in. dia bears S 74° E 5 1/2 hrs. dist. &

a B. Oak 14 " " " N 32° W 22 " "

The distance North to the Section corner on North Boundary is 17.06 Chs.

35.00 a W. Oak 30 in. dia.

36.00 Intersect N. Boundary & set post from which

a W. Oak 14 in. dia bears West 39 hrs. dist. &

a Hickory 13 " " " N 60° E 39 " "

The distance West to the corner of Sec. 1 & 2 is 20.50 Chs.

Saturday, September 27. 1823

Price F. Kellogg

Dep. Surveyor.

I certify that the foregoing transcript of Field Notes of the Survey of Township N. 21 North, in Range N. 8 W. of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Aug. 24. 1844.

William Johnston
Sur. Genl